


DEVONSHIRE

DEVONSHIRE LED Emergency Twin Spot, IP65, LiFePO4 Battery, Square Heads





















GENERAL DATA

Length (mm)

Width (mm)

Depth (mm)

,	
Light Source	LED
Light Source Replaceable	No
Colour/Finish	White
Material	Polycarbonate
IP Rating	IP65
IK Rating	IK07
Mounting Type	Surface
Warranty (Years)	5
Life Time Hours	50,000
DIMENSIONS & WEIGHT	
==: ,	

BLE LIGHTING AND POWER LTD

269

210

45



Weight (g)	405
ELECTRICAL	
Input Voltage (V)	220-240
Input Frequency (Hz)	50
Wattage (W)	4
Classification	Class II
Operating Temperature (°C)	+5 to +45
Power Factor	0.55
OPTICAL	
Colour Temperature	6500K
CRI	80
Beam Angle (°)	Horizontal: 159º / Vertical: 94º
EMERGENCY	
Battery Type	LiFePO4 3.2V
Battery Capacity	6.0Ah
Battery Warranty (Years)	5
Recharge Time (hrs)	24
Battery Replaceable	No
Mode of Operation	Non-maintained
Test Procedure	Manual
Emergency Duration (hrs)	3
Lumen Output Emergency (lm)	500
STANDARDS & APPROVALS	
Manufactured in Accordance with	BS EN 60598-1, BS EN 60598-2-22
CE Mark	Yes
UKCA Mark	Yes
WEEE Symbol	Yes
Accredited Members	ISO 9001 , ISO 14001
PACKAGING	
Packaging Length (mm)	275
Packaging Width (mm)	215

BLE LIGHTING AND POWER LTD

DATA SHEET

EL-142151



Packaging Depth (mm)

50

BLE LIGHTING AND POWER LTD